

# TOWN OF BRIDGEVILLE

*If you lived here, you'd be home now.*

## ORDINANCE \_\_\_\_\_

### AN ORDINANCE TO AMEND CHAPTER 190 OF THE CODE OF THE TOWN OF BRIDGEVILLE AS IT RELATES TO WASTEWATER SPECIFIC POLLUTANT LIMITATIONS

THE COMMISSIONERS OF BRIDGEVILLE HEREBY ORDAIN:

Section 1. Amend Chapter 190, entitled "SEWERS", Section 190-18 "Specific Pollutant Limitations.", of the Code of the Town of Bridgeville, by making deletions as shown by strike through and insertions as shown by underlines as follows:

#### **§190-18. Specific Pollutant Limitations**

- A. The following pollutant limits are established to protect against pass through and interference. ~~No person shall discharge wastewater containing in excess of the following maximum allowable composite concentrations~~ The following limits apply to discharges into the sewer system:

<b>Constituent</b>	<b>Maximum Allowable Composites Concentration (milligrams per liter)</b>
TBOD	350
SBOD	150
TSS	450
TKN	30
Oil and Grease	100
pH	6.5 to 8.5 standard units

- B. Concentrations apply at the point where the waste is discharged to the POTW. All concentrations for metallic substances are for total metal unless indicated otherwise. At their discretion, the Commissioners may impose mass limitations in addition to or in place of the concentration based limitations above. When imposing mass limits, the above listed concentration limits shall be converted to mass limits using an appropriate flow which is no greater than the maximum allowable flow for the user. The Commissioners may modify or increase mass limits for industrial users as long as the total loading allocated to all industrial users does not exceed the maximum allowable industrial loadings from the most recent local limits evaluation.

44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70

Section 2. Effective Date. This Ordinance shall become effective upon its adoption by a majority of the members elected to the Commission.

COMMISSIONERS OF BRIDGEVILLE

By: \_\_\_\_\_

President

Attest: \_\_\_\_\_

Secretary

Date of First Reading: \_\_\_\_\_

Adopted: \_\_\_\_\_

SYNOPSIS

This ordinance modifies existing Town Code, per the recommendations of the United States Environmental Protection Agency (EPA) during their evaluation of the Town's local limits as associated with the Pretreatment Program, NPDES No. DE0020249. The new language would provide for additional flexibility in assigning mass limits.