

TOWN OF BRIDGEVILLE

If you lived here, you would be home now.

ORDINANCE NO. 14-1

AN ORDINANCE TO AMEND § 128-1 D OF THE CODE OF THE TOWN OF BRIDGEVILLE AS IT RELATES TO SEWER AND WATER RATES FOR NON-METERED RESIDENTIAL CUSTOMERS

WHEREAS, the Commissioners of Bridgeville have all powers granted to municipal corporations and to cities by the Constitution and general law of the State of Delaware, including the implied powers necessary to carry into execution all the powers granted; and

WHEREAS, the Commissioners are of the opinion that an adjustment to the sewer and water rates is necessary for customers of those Town services that do not have meters to measure their use of water and/or sewer service.

NOW, THEREFORE BE IT ORDAINED BY THE COMMISSIONERS OF BRIDGEVILLE, to read as follows:

Section 1. Amend Chapter 128 "FEES", Section 128-1 "Fees Established", of the Code of the Town of Bridgeville, by adding the underlined text as follows:

§128-1. Fees established

Schedule of Charges and Fees of the Community Sewer of the Town of Bridgeville

D. Residential: \$24 for the first 2,500 gallons discharged per month; \$7.10 per thousand gallons discharged per month for more than 2,500 but less than 5,000 gallons; \$8.50 per thousand gallons discharged for the next 5,000 gallons; and \$13 per thousand gallons discharged for all usage over 10,000 gallons per month. However, regardless of use, the minimum charge of \$24 will be assessed to all residential customers. All non-metered customers shall pay a minimum monthly charge of \$60 per EDU.

Section 2. Effective Date. This ordinance shall become effective upon its adoption by a majority of the members elected to the Commissioners of Bridgeville.

COMMISSIONERS OF BRIDGEVILLE

By: Patricia M. Correll
President

ATTEST Lauren [Signature]
Secretary

Date of Reading: January 13, 2014

Adopted: February 10, 2014

Synopsis

This ordinance increases the monthly fee for those customers who do not have a meter installed on their property to measure the use of water and sewer.

[JMS Draft 12.12.13]
[DLS Rev. 12-16-13]